



Alpha Analytical Laboratories Inc.

e-mail: [clientservices@alpha-labs.com](mailto:clientservices@alpha-labs.com)

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

ELAP Certificates 1551, 2728, and 2922

27 May 2015

West Bay Sanitary District

Attn: John Simonetti

500 Laurel Street

Menlo Park, CA 94025

RE: Reclaimed Study

Work Order: 15E0822

Enclosed are the results of analyses for samples received by the laboratory on 05/07/15 22:55. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeanette L. Poplin For Robbie C. Phillips  
Project Manager



Alpha Analytical Laboratories Inc.

e-mail: [clientservices@alpha-labs.com](mailto:clientservices@alpha-labs.com)

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

## CHEMICAL EXAMINATION REPORT

Page 1 of 11

West Bay Sanitary District  
500 Laurel Street  
Menlo Park, CA 94025  
Attn: John Simonetti

Report Date: 05/27/15 08:59  
Project No: -  
Project ID: Reclaimed Study

Order Number  
15E0822

Receipt Date/Time  
05/07/2015 22:55

Client Code  
WESTBAY

Client PO/Reference

## ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Alpine Rd 0562015-A	15E0822-01	Water	05/07/15 00:00	05/07/15 22:55
Sand Hill Rd 0562015-B	15E0822-02	Water	05/07/15 00:00	05/07/15 22:55



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

## CHEMICAL EXAMINATION REPORT

Page 2 of 11

West Bay Sanitary District  
500 Laurel Street  
Menlo Park, CA 94025  
Attn: John Simonetti

Report Date: 05/27/15 08:59  
Project No: -  
Project ID: Reclaimed Study

Order Number  
15E0822

Receipt Date/Time  
05/07/2015 22:55

Client Code  
WESTBAY

Client PO/Reference

### Alpha Analytical Laboratories, Inc.

	METHOD	BATCH	PREPARED	ANALYZED	DILUTION	RESULT	PQL	NOTE
Alpine Rd 0562015-A (15E0822-01)			Sample Type: Water		Sampled: 05/07/15 00:00			
Metals by EPA 200 Series Methods								
Boron	EPA 200.7	AE51520	05/15/15 10:06	05/18/15 16:17	1	0.32 mg/L	0.050	
Calcium	"	"	"	"	"	27 "	1.0	
Magnesium	"	"	"	"	"	7.6 "	1.0	
Sodium	"	"	"	"	"	69 "	1.0	
Conventional Chemistry Parameters by APHA/EPA Methods								
Ammonia as NH3	SM4500NH3C	AE51233	05/12/15 08:07	05/15/15 12:52	1	48 mg/L	0.50	
Biochemical Oxygen Demand	SM5210B	AE50847	05/08/15 16:30	05/13/15 12:00	"	520 "	5.0	
Total Dissolved Solids	SM2540C	AE51234	05/12/15 13:30	05/15/15 08:45	"	390 "	10	
Total Suspended Solids	SM2540D	AE51243	05/12/15 09:55	05/14/15 12:37	"	2100 "	1.0	
Silica	SM4500-SiO2 C	AE50844	05/08/15 15:00	05/08/15 16:15	"	13 "	1.0	
Total Kjeldahl Nitrogen	SM4500-Norg B	AE52108	05/22/15 06:58	05/22/15 16:05	"	11 "	1.0	
Total Nitrogen	SM4500-N	AE51501	05/15/15 05:34	05/27/15 07:22	"	11 "	1.0	
Phosphorus, total	SM4500-P E	AE51926	05/19/15 08:00	05/19/15 10:39	5	13 "	2.0	
Anions by EPA Method 300.0								
Chloride	EPA 300.0	AE50850	05/09/15 07:55	05/09/15 07:55	10	72 mg/L	5.0	
Nitrate as N	"	"	05/09/15 08:11	05/09/15 08:11	1	ND "	0.20	T-3
Nitrite as N	"	"	"	"	"	ND "	0.20	T-3
Sand Hill Rd 0562015-B (15E0822-02)			Sample Type: Water		Sampled: 05/07/15 00:00			
Metals by EPA 200 Series Methods								
Boron	EPA 200.7	AE51520	05/15/15 10:06	05/18/15 16:21	1	0.12 mg/L	0.050	
Calcium	"	"	"	"	"	15 "	1.0	
Magnesium	"	"	"	"	"	5.6 "	1.0	
Sodium	"	"	"	"	"	59 "	1.0	



Alpha Analytical Laboratories Inc.

e-mail: [clientservices@alpha-labs.com](mailto:clientservices@alpha-labs.com)

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

## CHEMICAL EXAMINATION REPORT

Page 3 of 11

West Bay Sanitary District  
500 Laurel Street  
Menlo Park, CA 94025  
Attn: John Simonetti

Report Date: 05/27/15 08:59  
Project No: -  
Project ID: Reclaimed Study

Order Number  
15E0822

Receipt Date/Time  
05/07/2015 22:55

Client Code  
WESTBAY

Client PO/Reference

### Alpha Analytical Laboratories, Inc.

	METHOD	BATCH	PREPARED	ANALYZED	DILUTION	RESULT	PQL	NOTE
Sand Hill Rd 0562015-B (15E0822-02)			Sample Type: Water		Sampled: 05/07/15 00:00			
Conventional Chemistry Parameters by APHA/EPA Methods								
Ammonia as NH3	SM4500NH3C	AE51233	05/12/15 08:07	05/15/15 12:52	1	56 mg/L	0.50	
Biochemical Oxygen Demand	SM5210B	AE50847	05/08/15 16:30	05/13/15 12:00	"	280 "	5.0	
Total Dissolved Solids	SM2540C	AE51234	05/12/15 13:30	05/15/15 08:45	"	330 "	10	
Total Suspended Solids	SM2540D	AE51243	05/12/15 09:55	05/14/15 12:37	"	160 "	1.0	
Silica	SM4500-SiO2 C	AE50844	05/08/15 15:00	05/08/15 16:15	"	13 "	1.0	
Total Kjeldahl Nitrogen	SM4500-Norg B	AE52108	05/22/15 06:58	05/22/15 16:05	"	79 "	1.0	
Total Nitrogen	SM4500-N	AE51501	05/15/15 05:34	05/27/15 07:22	"	79 "	1.0	
Phosphorus, total	SM4500-P E	AE51926	05/19/15 08:00	05/19/15 10:39	5	8.6 "	2.0	
Anions by EPA Method 300.0								
Chloride	EPA 300.0	AE50850	05/09/15 08:28	05/09/15 08:28	10	57 mg/L	5.0	
Nitrate as N	"	"	05/09/15 08:44	05/09/15 08:44	1	ND "	0.20	T-3
Nitrite as N	"	"	"	"	"	ND "	0.20	T-3



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

## CHEMICAL EXAMINATION REPORT

Page 4 of 11

West Bay Sanitary District  
500 Laurel Street  
Menlo Park, CA 94025  
Attn: John Simonetti

Report Date: 05/27/15 08:59  
Project No: -  
Project ID: Reclaimed Study

Order Number  
15E0822

Receipt Date/Time  
05/07/2015 22:55

Client Code  
WESTBAY

Client PO/Reference

### Metals by EPA 200 Series Methods - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
<b>Batch AE51520 - Metals Digest</b>										
<b>Blank (AE51520-BLK1)</b>				Prepared: 05/15/15 Analyzed: 05/18/15						
Boron	ND	0.050	mg/L							
Calcium	ND	1.0	"							
Magnesium	ND	1.0	"							
Sodium	ND	1.0	"							
<b>LCS (AE51520-BS1)</b>				Prepared: 05/15/15 Analyzed: 05/18/15						
Boron	0.450	0.050	mg/L	0.400		112	85-115			
Calcium	7.89	1.0	"	8.00		98.6	85-115			
Magnesium	7.80	1.0	"	8.00		97.5	85-115			
Sodium	7.95	1.0	"	8.00		99.4	85-115			
<b>Duplicate (AE51520-DUP1)</b>				<b>Source: 15E0713-01</b>		Prepared: 05/15/15 Analyzed: 05/18/15				
Boron	1.69	0.050	mg/L		1.73			2.33	20	
Calcium	32.1	1.0	"		32.1			0.192	20	
Magnesium	20.7	1.0	"		20.7			0.0354	20	
Sodium	123	1.0	"		122			0.166	20	
<b>Matrix Spike (AE51520-MS1)</b>				<b>Source: 15E0713-01</b>		Prepared: 05/15/15 Analyzed: 05/18/15				
Boron	2.12	0.050	mg/L	0.400	1.73	98.1	70-130			
Calcium	41.1	1.0	"	8.00	32.1	113	70-130			
Magnesium	28.5	1.0	"	8.00	20.7	96.9	70-130			
Sodium	134	1.0	"	8.00	122	148	70-130			QM-4X
<b>Matrix Spike (AE51520-MS2)</b>				<b>Source: 15E0700-01</b>		Prepared: 05/15/15 Analyzed: 05/18/15				
Boron	1.79	0.050	mg/L	0.400	1.15	162	70-130			QM-01
Calcium	66.1	1.0	"	8.00	49.6	205	70-130			QM-4X
Magnesium	31.9	1.0	"	8.00	20.2	146	70-130			QM-01
Sodium	197	1.0	"	8.00	164	415	70-130			QM-4X

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

## CHEMICAL EXAMINATION REPORT

Page 5 of 11

West Bay Sanitary District  
500 Laurel Street  
Menlo Park, CA 94025  
Attn: John Simonetti

Report Date: 05/27/15 08:59  
Project No: -  
Project ID: Reclaimed Study

Order Number  
15E0822

Receipt Date/Time  
05/07/2015 22:55

Client Code  
WESTBAY

Client PO/Reference

### Metals by EPA 200 Series Methods - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
<b>Batch AE51520 - Metals Digest</b>										
<b>Matrix Spike Dup (AE51520-MSD1)</b>		<b>Source: 15E0713-01</b>		Prepared: 05/15/15 Analyzed: 05/18/15						
Boron	2.28	0.050	mg/L	0.400	1.73	137	70-130	7.16	20	QM-4X
Calcium	42.4	1.0	"	8.00	32.1	128	70-130	2.98	20	
Magnesium	29.8	1.0	"	8.00	20.7	114	70-130	4.60	20	
Sodium	137	1.0	"	8.00	122	182	70-130	2.01	20	QM-4X



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

## CHEMICAL EXAMINATION REPORT

Page 6 of 11

West Bay Sanitary District  
500 Laurel Street  
Menlo Park, CA 94025  
Attn: John Simonetti

Report Date: 05/27/15 08:59  
Project No: -  
Project ID: Reclaimed Study

Order Number  
15E0822

Receipt Date/Time  
05/07/2015 22:55

Client Code  
WESTBAY

Client PO/Reference

### Conventional Chemistry Parameters by APHA/EPA Methods - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
<b>Batch AE50844 - General Preparation</b>										
<b>Blank (AE50844-BLK1)</b>				Prepared & Analyzed: 05/08/15						
Silica	ND	1.0	mg/L							
<b>LCS (AE50844-BS1)</b>				Prepared & Analyzed: 05/08/15						
Silica	10.6	1.0	mg/L	10.0		106	80-120			
<b>LCS Dup (AE50844-BSD1)</b>				Prepared & Analyzed: 05/08/15						
Silica	10.5	1.0	mg/L	10.0		105	80-120	1.49	15	
<b>Duplicate (AE50844-DUP1)</b>				<b>Source: 15E0789-02</b>		Prepared & Analyzed: 05/08/15				
Silica	9.69	1.0	mg/L		9.10			6.29	20	
<b>Matrix Spike (AE50844-MS1)</b>				<b>Source: 15E0789-02</b>		Prepared & Analyzed: 05/08/15				
Silica	13.7	1.0	mg/L	5.00	9.10	92.1	85-115			
<b>Matrix Spike Dup (AE50844-MSD1)</b>				<b>Source: 15E0789-02</b>		Prepared & Analyzed: 05/08/15				
Silica	13.5	1.0	mg/L	5.00	9.10	88.9	85-115	1.16	15	
<b>Batch AE50847 - General Preparation</b>										
<b>Blank (AE50847-BLK1)</b>				Prepared: 05/08/15 Analyzed: 05/13/15						
Biochemical Oxygen Demand	ND	5.0	mg/L							
<b>Blank (AE50847-BLK2)</b>				Prepared: 05/08/15 Analyzed: 05/13/15						
Biochemical Oxygen Demand	ND	5.0	mg/L							
<b>LCS (AE50847-BS1)</b>				Prepared: 05/06/15 Analyzed: 05/11/15						
Biochemical Oxygen Demand	203	5.0	mg/L	200		102	84-115			



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

## CHEMICAL EXAMINATION REPORT

Page 7 of 11

West Bay Sanitary District  
500 Laurel Street  
Menlo Park, CA 94025  
Attn: John Simonetti

Report Date: 05/27/15 08:59  
Project No: -  
Project ID: Reclaimed Study

Order Number  
15E0822

Receipt Date/Time  
05/07/2015 22:55

Client Code  
WESTBAY

Client PO/Reference

### Conventional Chemistry Parameters by APHA/EPA Methods - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
<b>Batch AE50847 - General Preparation</b>										
<b>Duplicate (AE50847-DUP1)</b>				<b>Source: 15E0869-01</b>		Prepared: 05/08/15 Analyzed: 05/13/15				
Biochemical Oxygen Demand	263	5.0	mg/L		245			7.09	30	
<b>Batch AE51233 - General Preparation</b>										
<b>Blank (AE51233-BLK1)</b>				Prepared: 05/12/15 Analyzed: 05/15/15						
Ammonia as NH3	ND	0.50	mg/L							
<b>Blank (AE51233-BLK2)</b>				Prepared: 05/12/15 Analyzed: 05/15/15						
Ammonia as NH3	ND	0.50	mg/L							
<b>LCS (AE51233-BS1)</b>				Prepared: 05/12/15 Analyzed: 05/15/15						
Ammonia as NH3	5.96	0.50	mg/L	6.10		97.7	90-110			
<b>LCS Dup (AE51233-BSD1)</b>				Prepared: 05/12/15 Analyzed: 05/15/15						
Ammonia as NH3	6.07	0.50	mg/L	6.10		99.5	90-110	1.76	10	
<b>Matrix Spike (AE51233-MS1)</b>				Prepared: 05/12/15 Analyzed: 05/15/15						
Ammonia as NH3	6.07	0.50	mg/L	6.10	ND	99.5	85-115			
<b>Matrix Spike Dup (AE51233-MSD1)</b>				Prepared: 05/12/15 Analyzed: 05/15/15						
Ammonia as NH3	6.07	0.50	mg/L	6.10	ND	99.5	85-115	0.00	20	
<b>Batch AE51234 - General Preparation</b>										
<b>Blank (AE51234-BLK1)</b>				Prepared: 05/12/15 Analyzed: 05/15/15						
Total Dissolved Solids	ND	10	mg/L							





Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

## CHEMICAL EXAMINATION REPORT

Page 8 of 11

West Bay Sanitary District  
500 Laurel Street  
Menlo Park, CA 94025  
Attn: John Simonetti

Report Date: 05/27/15 08:59  
Project No: -  
Project ID: Reclaimed Study

Order Number  
15E0822

Receipt Date/Time  
05/07/2015 22:55

Client Code  
WESTBAY

Client PO/Reference

### Conventional Chemistry Parameters by APHA/EPA Methods - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
<b>Batch AE51234 - General Preparation</b>										
<b>Duplicate (AE51234-DUP1)</b>				<b>Source: 15E0789-01</b>		Prepared: 05/12/15 Analyzed: 05/15/15				
Total Dissolved Solids	852	10	mg/L		876			2.78	15	
<b>Duplicate (AE51234-DUP2)</b>				<b>Source: 15E0789-02</b>		Prepared: 05/12/15 Analyzed: 05/15/15				
Total Dissolved Solids	768	10	mg/L		716			7.01	15	
<b>Batch AE51243 - General Preparation</b>										
<b>Blank (AE51243-BLK1)</b>				Prepared: 05/12/15 Analyzed: 05/14/15						
Total Suspended Solids	ND	1.0	mg/L							
<b>Duplicate (AE51243-DUP1)</b>				<b>Source: 15E0822-02</b>		Prepared: 05/12/15 Analyzed: 05/14/15				
Total Suspended Solids	172	1.0	mg/L		164			4.76	30	
<b>Duplicate (AE51243-DUP2)</b>				<b>Source: 15E0913-02</b>		Prepared: 05/12/15 Analyzed: 05/14/15				
Total Suspended Solids	260	1.0	mg/L		262			0.766	30	
<b>Batch AE51926 - General Prep</b>										
<b>Blank (AE51926-BLK1)</b>				Prepared & Analyzed: 05/19/15						
Phosphorus, total	ND	0.040	mg/L							
<b>LCS (AE51926-BS1)</b>				Prepared & Analyzed: 05/19/15						
Phosphorus, total	0.199	0.040	mg/L	0.200		99.7	85-115			
<b>Duplicate (AE51926-DUP1)</b>				<b>Source: 15E0822-01</b>		Prepared & Analyzed: 05/19/15				
Phosphorus, total	12.8	2.0	mg/L		12.8			0.00	20	



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

## CHEMICAL EXAMINATION REPORT

Page 9 of 11

West Bay Sanitary District  
500 Laurel Street  
Menlo Park, CA 94025  
Attn: John Simonetti

Report Date: 05/27/15 08:59  
Project No: -  
Project ID: Reclaimed Study

Order Number  
15E0822

Receipt Date/Time  
05/07/2015 22:55

Client Code  
WESTBAY

Client PO/Reference

### Conventional Chemistry Parameters by APHA/EPA Methods - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
<b>Batch AE51926 - General Prep</b>										
<b>Matrix Spike (AE51926-MS1)</b>		<b>Source: 15E0822-01</b>		Prepared & Analyzed: 05/19/15						
Phosphorus, total	16.0	2.0	mg/L	2.00	12.8	157	70-130			QM-4X
<b>Matrix Spike Dup (AE51926-MSD1)</b>		<b>Source: 15E0822-01</b>		Prepared & Analyzed: 05/19/15						
Phosphorus, total	15.9	2.0	mg/L	2.00	12.8	153	70-130	0.417	20	QM-4X
<b>Batch AE52108 - General Prep</b>										
<b>LCS (AE52108-BS1)</b>		Prepared: 05/21/15 Analyzed: 05/22/15								
Total Kjeldahl Nitrogen	3.13	1.0	mg/L	2.98		105	80-120			
<b>LCS Dup (AE52108-BSD1)</b>		Prepared: 05/21/15 Analyzed: 05/22/15								
Total Kjeldahl Nitrogen	3.13	1.0	mg/L	2.98		105	80-120	0.00	20	
<b>Matrix Spike (AE52108-MS1)</b>		<b>Source: 15E0856-01</b>		Prepared & Analyzed: 05/22/15						
Total Kjeldahl Nitrogen	4.52	1.0	mg/L	2.98	2.10	81.0	75-125			
<b>Matrix Spike Dup (AE52108-MSD1)</b>		<b>Source: 15E0856-01</b>		Prepared & Analyzed: 05/22/15						
Total Kjeldahl Nitrogen	4.52	1.0	mg/L	2.98	2.10	81.0	75-125	0.00	20	



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

## CHEMICAL EXAMINATION REPORT

Page 10 of 11

West Bay Sanitary District  
500 Laurel Street  
Menlo Park, CA 94025  
Attn: John Simonetti

Report Date: 05/27/15 08:59  
Project No: -  
Project ID: Reclaimed Study

Order Number  
15E0822

Receipt Date/Time  
05/07/2015 22:55

Client Code  
WESTBAY

Client PO/Reference

### Anions by EPA Method 300.0 - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
<b>Batch AE50850 - General Preparation</b>										
<b>Blank (AE50850-BLK1)</b>				Prepared & Analyzed: 05/09/15						
Chloride	ND	0.50	mg/L							
Nitrate as N	ND	0.20	"							
Nitrite as N	ND	0.20	"							
<b>LCS (AE50850-BS1)</b>				Prepared & Analyzed: 05/09/15						
Chloride	11.1	0.50	mg/L	11.1		100	90-110			
Nitrate as N	5.52	0.20	"	5.56		99.3	90-110			
Nitrite as N	5.50	0.20	"	5.56		99.0	90-110			
<b>Duplicate (AE50850-DUP1)</b>				<b>Source: 15E0760-01</b>		Prepared & Analyzed: 05/09/15				
Chloride	6.56	0.50	mg/L		6.43			1.94	20	
Nitrite as N	ND	0.20	"		ND				20	
Nitrate as N	ND	0.20	"		ND				20	
<b>Matrix Spike (AE50850-MS1)</b>				<b>Source: 15E0760-01</b>		Prepared & Analyzed: 05/11/15				
Chloride	17.8	0.50	mg/L	11.1	6.43	102	80-120			
Nitrate as N	5.58	0.20	"	5.56	ND	99.5	80-120			
Nitrite as N	5.54	0.20	"	5.56	ND	98.9	80-120			
<b>Matrix Spike (AE50850-MS2)</b>				<b>Source: 15E0855-01</b>		Prepared & Analyzed: 05/09/15				
Chloride	14.9	2.5	mg/L	11.1	3.12	106	80-120			
Nitrate as N	5.77	1.0	"	5.56	ND	102	80-120			
Nitrite as N	5.67	1.0	"	5.56	ND	102	80-120			
<b>Matrix Spike Dup (AE50850-MSD1)</b>				<b>Source: 15E0760-01</b>		Prepared & Analyzed: 05/11/15				
Nitrate as N	5.56	0.20	mg/L	5.56	ND	99.3	80-120	0.243	20	
Nitrite as N	5.53	0.20	"	5.56	ND	98.7	80-120	0.181	20	
Chloride	17.7	0.50	"	11.1	6.43	102	80-120	0.332	20	



Alpha Analytical Laboratories Inc.

e-mail: [clientservices@alpha-labs.com](mailto:clientservices@alpha-labs.com)

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 6398 Dougherty Rd., Suite 35, Dublin, CA 94568 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

## CHEMICAL EXAMINATION REPORT

Page 11 of 11

West Bay Sanitary District  
500 Laurel Street  
Menlo Park, CA 94025  
Attn: John Simonetti

Report Date: 05/27/15 08:59  
Project No: -  
Project ID: Reclaimed Study

Order Number

15E0822

Receipt Date/Time

05/07/2015 22:55

Client Code

WESTBAY

Client PO/Reference

### Notes and Definitions

- QM-01 The spike recovery for this QC sample is outside of established control limits possibly due to a sample matrix interference.
- QM-4X The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.
- T-3 Client did not specify sampling time.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- PQL Practical Quantitation Limit

## Work Order

**Central Valley Laboratory**  
9090 Union Park Wy., #113, Elk Grove, CA 95624  
916-686-5190 F) 916-686-5192

**Corporate Laboratory**  
208 Mason Street, Ukiah, CA 95482  
707-468-0401 F) 707-468-5267  
clientservices@alpha-labs.com

**Bay Area Laboratory**  
6398 Dougherty Road, #35, Dublin, CA 94568  
925-828-6226 F) 925-828-6309

**alpha**  
Alpha Analytical Laboratories Inc.  
[www.alpha-labs.com](http://www.alpha-labs.com)  
**WATERS. SEDIMENTS, SOLIDS**

Lab No. 15E0825 Page      of     

[illegible]

- Silica – \$25
- Sodium – \$15
- Calcium – \$15
- Magnesium – \$15
- Total Dissolved Solids (TDS) – \$25
- Boron – \$15
- Chloride – \$25
- Total Nitrogen (TN) – \$100
- Ammonia – \$30
- Total Kjeldhal Nitrogen (TKN) – included with total nitrogen cost
- Total Phosphorous – \$30
- BOD – \$35
- TSS – \$25